

879 Federal Blvd Denver, CO, 80204, US (303) 427-2379

Kaycha Labs LL5084-1 Blue Razz Matrix: Infused

Classification: Hybrid Type: Hard Candy/Sucker

Production Method: Other

Harvest/Lot ID: LL5084-1

Seed to Sale#: 1A4000D00045DF9000000275 Sample Size Received: 10 gram

Servings: 1

Ordered: 03/25/25 Sampled: 03/28/25 **Completed:** 03/31/25

Certificate of Analysis

Laboratory Sample ID: DE50328008-001



Mar 31, 2025 | Grumpy's Lollipops

License # 403H-104567

PO Box 19445

Denver, CO, 80219, US



PASSED

Pages 1 of 2

SAFETY RESULTS



NOT TESTED





NOT TESTED

Total THC



NOT TESTED



NOT TESTED

Residuals Solvents **NOT TESTED**



NOT TESTED



NOT TESTED

Moisture **NOT TESTED**



Homogeneity Testing NOT TESTED



Terpenes NOT TESTED

PASSED


Cannabinoid



Total CBD 0.0780%



Total Cannabinoids



Analysis Method: SOP.T.40.039.CO Analytical Batch: DE009764POT Instrument Used: Agilent 1100 "Liger" Analyzed Date: 03/31/25 20:34:05

Batch Date: 03/28/25 09:18:23

Dilution: 40
Reagent: 031125.R11; 032625.R06; 032725.R12; 083124.R07; 011525.R18; 091024.R07
Consumables: 230822-052-1A; 947.100; 04303051; 229924264V3; 0000186393; 241023-3059-A; 1009372578; 61572-107C6-107H
Pipette: P1000- 218648; POT- 20E73244; POT- 20E74976; POT- 20K63477; P100- 22G19745

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon required. available from the lab upon request.

William Stephens

Lab Directo

State License # 405R-00011 405-00008 ISO 17025 Accreditation # 4331.01 Will I

Signature 03/31/25